



SECURITY ALARM CABLE
CATALOG



Factory And Production Equipment 1



Quality Control 2



Security Alarm Cable Description 3



Security Alarm Cable products list 4



Packing 17

DEAR BUSINESS PARTNERS,

ZION COMMUNICATION is a professional signal products and security system products provider. We believe on investing and building strong R&D capabilities for new technology and innovation. We have a strong R&D team and skilled workers, also with the advanced machines and modern factories which can provide our customers with outstanding quality, service. Our company keep on investing other factories and build up strong cooperation with other companies too to provide whole products and systems in signal field and security systems to satisfy customers orders inquire.

ZION COMMUNICATION 's management and international sales teams are committed to our customers' utmost satisfaction. Our experienced team experts strives to service every inquiry, quote, and order quickly and efficiently, meeting and often exceeding customers' expectations.

ZION COMMUNICATION is keep on developing in healthy and reasonable speed, and welcome to be partners of us.

Best wishes,


Michael Xsu

CLOSE TO
CUSTOMERS.




ZION
Communication
HELLOSIGNAL®






Factory And Production Equipment



Quality Control

Consistent quality is the key to develop long-term business relationship; therefore ZION COMMUNICATION valued consistent quality throughout every phase of manufacturing process. From raw materials to final products, we perform intense quality checks to maintain our product quality.

Since quality is the buzz word today & each customer/consumer wants it in totality. Our quality policy & work philosophy stresses towards total customer satisfaction. We have well defined interdepartmental as well as intra Departmental Network Blocks where complete monitoring of job works is done. A well trained staff/Dedicated sales /Excelled production force all strive continuously delivering better services to the customer. An ISO-9002 certification is an affidavit to it which consolidates our verdict for quality.



MAKING QUALITY A PRIORITY

Quality Control

A highlight of ZION COMMUNICATION is its emphasis on Quality Control, Quality Audit and Quality Assurance in the spheres of manufacturing activities and service, i.e. from RAW MATERIAL TO FINAL PRODUCTS to CUSTOMER SUPPORT SERVICES.

Electrolytic Copper & Aluminum ensures longer life for conductor. Bunching/twisting of ministrants as per international standards. Proper annealing gives softness & flexibility.

Insulation -grade PVC stands high temperatures.
Higher DI-electric strength insulation used.
Weather proof sheathing/insulation material.
Grease/Oil resistant properties.
Voltage fluctuations don't affect.
Resistant to fire hazards.
Self fire-extinguishing & flame proof cables.
Rigid quality controls conforms to-specification.
Chemicals and microbiological attacks don't affect.
No damage due to severe bending while laying.
Immune to fluctuations in temperatures.
Fire Insurance approved.

Description Design

Cable with Copper / Aluminium Conductors PVC insulated colour coded cores laid extruded PVC inner sheathed overall PVC sheathed armored / unarmored cables.

Tests

Testing is a very important part of cable manufacture and all raw materials and finished cables must be thoroughly tested to ensure the quality of cables. ZION COMMUNICATION has a well equipped test fields and electrical, mechanical and chemical laboratories capable of carrying out all tests which are required as per relevant specifications. The most modern testing equipment is installed in these laboratories.





Description

A security alarm is a system designed to detect intrusion into a building or other area. Security alarms are used in residential, commercial, industrial, and military properties for protection against burglary or property damage, as well as personal protection against intruders. Security Alarm Cable from HANGZHOU ZION COMMUNICATION CO.,LTD is available in a variety of constructions to meet the needs of different applications and environments. ZION offers shielded and unshielded cables with the international standard within the industry. Common security alarm cable applications include wiring for intercoms, security systems, audio systems, background music systems, and power-limited control circuits. If you do not find the product you need in then we offer the option of a special custom design cable. Here you can choose between different constructions, jacket color or other materials etc.

Price:

You can get ultimate reasonable factory price of the Security Alarm Cable itself from us!

Service:

You will enjoy best service from our export team on price for import and export, shipping time, documents and custom policy, which will save cost ultimately and create biggest value for you.

Quality Guarantee:

You will received 100% quality pass testing before sending to our customers; also we are responsible for all products during it's normal lifetime.



0.2mm² 71110

Catalog No.	Cond. Type	Dielectric	Color Code	Rip Cord	Jacket Type
2×0.2mm ² SOL-U NO.7111001	2 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	3.00mmPVC
4×0.2mm ² SOL-U NO.7111002	4 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	3.50mmPVC
6×0.2mm ² SOL-U NO.7111003	6 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.20mmPVC
8×0.2mm ² SOL-U NO.7111004	8 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.50mmPVC
10×0.2mm ² SOL-U NO.7111005	10 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.30mmPVC
12×0.2mm ² SOL-U NO.7111006	12 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.50mmPVC
16×0.2mm ² SOL-U NO.7111007	16 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	6.00mmPVC
24×0.2mm ² SOL-U NO.7111008	24 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	7.30mmPVC

Catalog No.	Cond. Type	Dielectric	Color Code	Drain Wire	Shield	Rip Cord	Jacket Type
2×0.2mm ² SOL-S NO.7111051	2 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	3.10mmPVC
4×0.2mm ² SOL-S NO.7111052	4 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	3.60mmPVC
6×0.2mm ² SOL-S NO.7111053	6 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	4.30mmPVC
8×0.2mm ² SOL-S NO.7111054	8 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	4.60mmPVC
10×0.2mm ² SOL-S NO.7111055	10 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	5.40mmPVC



0.2mm² 71110

Catalog No.	Cond.Type	Dielectric	Color Code	Drain Wire	Shield	Rip Cord	Jacket Type
12×0.2mm ² SOL-S NO.7111056	12 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	5.50mmPVC
16×0.2mm ² SOL-S NO.7111057	16 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	6.10mmPVC
24×0.2mm ² SOL-S NO.7111058	24 x (1/0.50mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.50mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	7.30mmPVC

0.22mm² 71111

Catalog No.	Cond.Type	Dielectric	Color Code	Rip Cord	Jacket Type
2×0.22mm ² STR-U NO.7111101	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	3.00mmPVC
4×0.22mm ² STR-U NO.7111102	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	3.50mmPVC
6×0.22mm ² STR-U NO.7111103	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.10mmPVC
8×0.22mm ² STR-U NO.7111104	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.50mmPVC
10×0.22mm ² STR-U NO.7111105	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.20mmPVC
12×0.22mm ² STR-U NO.7111106	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.40mmPVC
14×0.22mm ² STR-U NO.7111107	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.80mmPVC
20×0.22mm ² STR-U NO.7111108	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	6.80mmPVC
30×0.22mm ² STR-U NO.7111109	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	8.40mmPVC
40×0.22mm ² STR-U NO.7111110	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	10.0mmPVC

0.22mm² 71111

Catalog No.	Cond.Type	Dielectric	Color Code	Drain Wire	Shield	Rip Cord	Jacket Type
2×0.22mm ² STR-S NO.7111151	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	3.10mmPVC
4×0.22mm ² STR-S NO.7111152	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	3.60mmPVC
6×0.22mm ² STR-S NO.7111153	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	4.20mmPVC
8×0.22mm ² STR-S NO.7111154	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	4.60mmPVC
10×0.22mm ² STR-S NO.7111155	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	5.30mmPVC
12×0.22mm ² STR-S NO.7111156	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	5.50mmPVC
14×0.22mm ² STR-S NO.7111157	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	5.90mmPVC
20×0.22mm ² STR-S NO.7111158	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	6.90mmPVC
30×0.22mm ² STR-S NO.7111159	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	8.50mmPVC
40×0.22mm ² STR-S NO.7111160	7/0.20mm TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	0.38mm TC/BC/ CCA/TCCA	Aluminum Foil	Cotton Wire	10.0mmPVC





0.22+0.5 or 0.75 71112


Catalog No.	Party 1 Conductor	Dielectric	Party 2 Conductor	Dielectric	Color Code	Rip Cord	Jacket Type
2×0.50+ 2×0.22mm ² STR-U NO.7111201	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	2×(7/0.20m m) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	3.90mm PVC
2×0.50+ 4×0.22mm ² STR-U NO.7111202	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	4×(7/0.20m m) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.50mm PVC
2×0.50+ 6×0.22mm ² STR-U NO.7111203	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	6×(7/0.20m m) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.90mm PVC
2×0.50+ 8×0.22mm ² STR-U NO.7111204	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	8×(7/0.20m m) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.70mm PVC
2×0.50+ 10×0.22mm ² STR-U NO.7111205	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	10×(7/0.20 mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	6.00mm PVC
2×0.50+ 12×0.22mm ² STR-U NO.7111206	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	12×(7/0.20 mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	6.30mm PVC

Catalog No.	Party 1 Conductor	Dielectric	Color Code	Party 2 Conductor	Dielectric	Color Code	Drain Wire	Shield	Jacket Type
2×0.50+ 2×0.22mm ² STR-S NO.7111221	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	2×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	4.00mm PVC
2×0.50+ 4×0.22mm ² STR-S NO.7111222	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	4×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	4.60mm PVC
2×0.50+ 6×0.22mm ² STR-S NO.7111223	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	6×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	5.00mm PVC
2×0.50+ 8×0.22mm ² STR-S NO.7111224	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	8×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	5.80mm PVC
2×0.50+ 10×0.22mm ² STR-S NO.7111225	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	10×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	6.40mm PVC
2×0.50+ 12×0.22mm ² STR-S NO.7111226	2×(16/0.20mm) TC/BC/ CCA/TCCA	1.50mm PVC	Black/Red	12×(7/0.20mm) TC/BC/ CCA/TCCA	0.95mm PVC	Ylw/Grn	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	6.40mm PVC

0.22+0.5 or 0.75 71112

Catalog No.	Party 1 Conductor	Dielectric	Party 2 Conductor	Dielectric	Color Code	Rip Cord	Jacket Type
2×0.75+ 2×0.22mm ² STR-U NO.7111241	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	2×(7/0.20m m) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.20mm PVC
2×0.75+ 4×0.22mm ² STR-U NO.7111242	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	4×(7/0.20m m) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	4.90mm PVC
2×0.75+ 6×0.22mm ² STR-U NO.7111243	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	6×(7/0.20m m) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	5.30mm PVC
2×0.75+ 8×0.22mm ² STR-U NO.7111244	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	8×(7/0.20m m) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	6.20mm PVC
2×0.75+ 10×0.22mm ² STR-U NO.7111245	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	10×(7/0.20 mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	6.40mm PVC
2×0.75+ 12×0.22mm ² STR-U NO.7111246	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	12×(7/0.20 mm) TC/BC/ CCA/TCCA	0.95mm PVC	Black/Red	Cotton Wire	6.70mm PVC

Catalog No.	Party 1 Conductor	Dielectric	Color Code	Party 2 Conductor	Rip Cord	Drain Wire	Shield	Jacket Type
2×0.75+ 2×0.22mm ² STR-S NO.7111261	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	Black/Red	2×(7/0.20m m) TC/BC/CCA /TCCA)	Cotton Wire	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	4.3mm PVC
2×0.75+ 4×0.22mm ² STR-S NO.7111262	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	Black/Red	4×(7/0.20m m) TC/BC/CCA /TCCA)	Cotton Wire	7x0.20mm TC/BC/ CCA/TCCA	Aluminum Foil	5.0mm PVC
2×0.75+ 6×0.22mm ² STR-S NO.7111263	2×(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	Black/Red	6×(7/0.20m m) TC/BC/CCA /TCCA)	Cotton Wire	7x0.20mm CCA/TCCA	Aluminum Foil	5.40mm PVC





0.22+0.5 or 0.75 71112

Catalog No.	Party 1 Conductor	Dielectric	Color Code	Party 2 Conductor	Rip Cord	Drain Wire	Shield	Jacket Type
2x0.75+ 8x0.22mm ² STR-S NO.7111264	2x(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	8x(7/0.20m m TC/BC/CCA /TCCA)	0.95mm PVC	Cotton Wire	7x0.20mm TC/BC/CCA /TCCA	Aluminum Foil	5.8mm PVC
2x0.75+ 10x0.22mm ² STR-S NO.7111265	2x(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	10x(7/0.20 mm TC/BC/CCA /TCCA)	0.95mm PVC	Cotton Wire	7x0.20mm TC/BC/CCA /TCCA	Aluminum Foil	6.1mm PVC
2x0.75+ 12x0.22mm ² STR-S NO.7111266	2x(24/0.20mm) TC/BC/ CCA/TCCA	1.80mm PVC	12x(7/0.20 mm TC/BC/CCA /TCCA)	0.95mm PVC	Cotton Wire	7x0.20mm TC/BC/CCA /TCCA	Aluminum Foil	6.4mm PVC

UL 71113

Catalog No.	Cond.Type	Dielectric	Rip Cord	Jacket
22/2 STR-U NO.7111301	(22AWG 7/30 Stranded Bare Copper) X 2 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.124"(3.1mm) PVC
22/3 STR-U NO.7111302	(22AWG 7/30 Stranded Bare Copper) X 3 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.129"(3.28mm) PVC
22/4 STR-U NO.7111303	(22AWG 7/30 Stranded Bare Copper) X 4. 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.156"(3.96mm) PVC
22/6 STR-U NO.7111304	(22AWG 7/30 Stranded Bare Copper) X 6 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.164"(4.17mm) PVC
22/8 STR-U NO.7111305	(22AWG 7/30 Stranded Bare Copper) X 8 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.180"(4.57mm) PVC
22/10 STR-U NO.7111306	(22AWG 7/30 Stranded Bare Copper) X 10 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.211"(5.38mm) PVC
22/12 STR-U NO.7111307	(22AWG 7/30 Stranded Bare Copper) X 12 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Cotton Wire	0.218"(5.56mm)) PVC

UL 71113

Catalog No.	Cond.Type	Dielectric	Rip Cord	Jacket
18/2 STR-U NO.7111311	(18 AWG 7/26 Stranded Bare Copper) X 2 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.156"(3.96mm) PVC
18/3 STR-U NO.7111312	(18AWG 7/26 Stranded Bare Copper) X 3 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.166"(4.22mm) PVC
18/4 STR-U NO.7111313	(18AWG 7/26 Stranded Bare Copper) X 4 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.187"(4.75mm) PVC
18/6 STR-U NO.7111314	(18AWG 7/26 Stranded Bare Copper) X 6. 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.225"(5.72mm) PVC
18/8 STR-U NO.7111315	(18AWG 7/26 Stranded Bare Copper) X 8 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.244"(6.22mm) PVC
18/10 STR-U NO.7111316	(18AWG 7/26 Stranded Bare Copper) X 10 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.281"(7.16mm) PVC
18/12 STR-U NO.7111317	(18AWG 7/26 Stranded Bare Copper) X 12 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	Cotton Wire	0.290"(7.39mm) PVC
16/2 STR-U NO.7111321	(16 AWG 19/0.0117" Stranded Bare Copper) X 2 0.051"(1.29mm)	Polypropylene 0.078"(2.00mm)	Cotton Wire	0.178"(4.52mm) PVC
16/3 STR-U NO.7111322	(16 AWG 19/0.0117" Stranded Bare Copper) X 3 0.051"(1.29mm)	Polypropylene 0.078"(2.00mm)	Cotton Wire	0.193"(4.90mm) PVC
16/4 STR-U NO.7111323	(16 AWG 19/0.0117" Stranded Bare Copper) X 4 0.051"(1.29mm)	Polypropylene 0.078"(2.00mm)	Cotton Wire	0.209"(5.33mm) PVC
14/2 STR-U NO.7111331	(14 AWG 19/0.0147" Stranded Bare Copper) X 2 0.064"(1.63mm)	Polypropylene 0.0925"(2.35mm)	Cotton Wire	0.224"(5.69mm) PVC
14/4 STR-U NO.7111332	(14 AWG 19/0.0147" Stranded Bare Copper) X 4 0.064"(1.63mm)	Polypropylene 0.0925"(2.35mm)	Cotton Wire	0.264"(6.71mm) PVC
12/2 STR-U NO.7111341	(12AWG 19/0.0185 " Stranded Bare Copper) X 2 0.081"(2.05mm)	Polypropylene 0.081"(2.05mm)	Cotton Wire	0.259"(6.6mm) PVC
12/4 STR-U NO.7111342	(12AWG 19/0.0185 " Stranded Bare Copper) X4 0.081"(2.05mm)	Polypropylene 0.114"(2.9mm)	Cotton Wire	0.311"(7.92mm) PVC



UL 71113

Catalog No.	Cond.Type	Dielectric	Shield	Rip Cord	Jacket
22/2 STR-S NO.7111351	(22AWG 7/30 Stranded Bare Copper) X 2 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	Aluminum Foil	Cotton Wire	0.131"(3.35mm) PVC
22/3 STR-S NO.7111352	(22AWG 7/30 Stranded Bare Copper) X 3 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/ Mylar tape	Cotton Wire	0.134"(3.42mm) PVC
22/4 STR-S NO.7111353	(22AWG 7/30 Stranded Bare Copper) X 4 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.134"(3.73mm) PVC
22/6 STR-S NO.7111354	(22AWG 7/30 Stranded Bare Copper) X 6 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.131"(3.35mm) PVC
22/8 STR-S NO.7111355	(22AWG 7/30 Stranded Bare Copper) X 8 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.194"(4.95mm) PVC
22/10 STR-S NO.7111356	(22AWG 7/30 Stranded Bare Copper) X 10 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.217"(5.53mm) PVC
22/12 STR-S NO.7111357	(22AWG 7/30 Stranded Bare Copper) X 12 0.025"(0.64mm)	Polypropylene 0.047"(1.20mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.228"(5.80mm) PVC
18/4 STR-S NO.7111363	(18AWG 7/26 Stranded Bare Copper) X 4 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.186"(4.74mm) PVC
18/6 STR-S NO.7111364	(18AWG 7/26 Stranded Bare Copper) X 6 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.229"(5.84mm) PVC
18/8 STR-S NO.7111365	(18AWG 7/26 Stranded Bare Copper) X 8 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.250"(6.35mm) PVC
18/10 STR-S NO.7111366	(18AWG 7/26 Stranded Bare Copper) X 10 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.286"(7.28mm) PVC
18/12 STR-S NO.7111367	(18AWG 7/26 Stranded Bare Copper) X 12 0.04"(1.02mm)	Polypropylene 0.067"(1.70mm)	0.038mm Alum/Mylar tape	Cotton Wire	0.295"(7.51mm) PVC



UL 71113

Catalog No.	Cond.Type	Dielectric	Shield	Rip Cord	Jacket
16/2 STR-S NO.7111371	(16 AWG 19/0.0117" Stranded Bare Copper) X 2 0.051"(1.29mm)	0.078"(2.00mm) Polypropylene	0.038mm Alum/Mylar tape	Cotton Wire	0.189"(4.80mm) PVC
16/3 STR-S NO.7111372	(16 AWG 19/0.0117" Stranded Bare Copper) X 2 0.051"(1.29mm)	0.078"(2.00mm) Polypropylene	0.038mm Alum/Mylar tape	Cotton Wire	0.197"(5.02mm) PVC
16/4 STR-S NO.7111373	(16 AWG 19/0.0117" Stranded Bare Copper) X 2 0.051"(1.29mm)	0.078"(2.00mm) Polypropylene	0.038mm Alum/Mylar tape	Cotton Wire	0.218"(5.56mm) PVC
14/2 STR-S NO.7111381	(14 AWG 19/0.0147" Stranded Bare Copper) X 2 0.064"(1.63mm)	0.0925"(2.35mm) Polypropylene	0.038mm Alum/Mylar tape	Cotton Wire	0.244"(6.22mm) PVC
14/4 STR-S NO.7111382	(14 AWG 19/0.0147" Stranded Bare Copper) X 2 0.064"(1.63mm)	0.0925"(2.35mm) Polypropylene	0.038mm Alum/Mylar tape	Cotton Wire	0.262"(6.68mm) PVC
12/2 STR-S NO.7111391	(12AWG 19/0.0185 " Stranded Bare Copper) X 2 0.081"(2.05mm)	0.0925"(2.35mm) Polypropylene	0.114"(2.9mm) Alum/Mylar tape	Cotton Wire	0.280"(7.13mm) PVC
12/4 STR-S NO.7111392	(12AWG 19/0.0185 " Stranded Bare Copper) X 2 Nom.Dia:0.081"(2.05mm)	0.114"(2.9mm) Polypropylene	0.114"(2.9mm) Alum/Mylar tape	Cotton Wire	0.311"(7.92mm) PVC

Mylar Cable 71114

Catalog No.	Cond.Type	Dielectric	Shield 1	Drain Wire	Shield 2	Rip Cord	Jacket
2×0.22mm ² NO.7111401	2 x (7/0.20mm TC/BC/CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	3.20mm PVC
4×0.22mm ² NO.7111402	4 x (7/0.20mm TC/BC/CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	4.0mm PVC
6×0.22mm ² NO.7111403	6 x (7/0.20mm TC/BC/CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	4.6mm PVC
8×0.22mm ² NO.7111404	8 x (7/0.20mm TC/BC/CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	5.3mm PVC
10×0.22mm ² NO.7111405	10 x (7/0.20mm TC/BC/CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	5.70mm PVC
12×0.22mm ²	12 x (7/0.20mm TC/BC/CCA/TCCA)	1.00mm	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	6.30mm PVC



Mylar Cable 71114

Catalog No.	Cond.Type	Dielectric	Shield 1	Drain Wire	Shield 2	Rip Cord	Jacket
14×0.22mm ² NO.7111407	14 x (7/0.20mm TC/BC/CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	6.70mm PVC
16×0.22mm ² NO.7111408	16 x (7/0.20mm TC/BC/CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	7.10mm PVC
18×0.22mm ² NO.7111409	18 x (7/0.20mm TC/BC/CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	7.60mm PVC
20×0.22mm ² NO.7111410	20 x (7/0.20mm TC/BC/CCA/TCCA)	1.00mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	7.90mm PVC

Mylar Cable 71114

Catalog No.	Cond.Type	Dielectric	Shield 1	Drain Wire	Shield 2	Rip Cord	Jacket
2×0.50mm ² NO.7111421	2 x (16/0.20mm TC/BC/CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	4.20mm PVC
4×0.50mm ² NO.7111422	4 x (16/0.20mm TC/BC/CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	5.40mm PVC
6×0.50mm ² NO.7111423	6 x (16/0.20mm TC/BC/CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	6.60mm PVC
8×0.50mm ² NO.7111424	8 x (16/0.20mm TC/BC/CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	7.40mm PVC
12×0.50mm ² NO.7111425	12 x (16/0.20mm TC/BC/CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	8.90mm PVC
16×0.50mm ² NO.7111426	16 x (16/0.20mm TC/BC/CCA/TCCA)	1.50mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	10.10mm PVC

Mylar Cable 71114

Catalog No.	Cond.Type	Dielectric	Shield 1	Drain Wire	Shield 2	Rip Cord	Jacket
2×1.00mm ² NO.7111441	2 x (32/0.20mm TC/BC/CCA/TCCA)	1.90mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	5.00mm PVC
4×1.00mm ² NO.7111442	4 x (32/0.20mm TC/BC/CCA/TCCA)	1.90mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	6.55mm PVC
6×1.00mm ² NO.7111443	6 x (32/0.20mm TC/BC/CCA/TCCA)	1.90mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	7.95mm PVC
8×1.00mm ² NO.7111444	8 x (32/0.20mm TC/BC/CCA/TCCA)	1.90mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	8.95mm PVC
12×1.00mm ² NO.7111445	8 x (32/0.20mm TC/BC/CCA/TCCA)	1.90mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	12.30mm PVC
2×1.50mm ² NO.7111461	2 x (48/0.20mm TC/BC/CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	6.20mm PVC
4×1.50mm ² NO.7111446	4 x (48/0.20mm TC/BC/CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	8.20mm PVC
6×1.50mm ² NO.7111463	6 x (48/0.20mm TC/BC/CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	9.90mm PVC
8×1.50mm ² NO.7111464	8 x (48/0.20mm TC/BC/CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	11.20mm PVC
12×1.50mm ² NO.7111465	12 x (48/0.20mm TC/BC/CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	13.50mm PVC
16×1.50mm ² NO.7111466	16 x (48/0.20mm TC/BC/CCA/TCCA)	2.40mm PVC/PP	PET	7 x 0.20mm TC/BC/CCA/TCCA	Aluminum / Mylar tape	Cotton Wire	15.30mm PVC



Packing

Packing :
 Length : 100M, 200M, 300M,305M,500M,1000M or as customer need
 Manner : Reel with PET, Plastic Spool, Wooden Spool, carton, pull box, pallet.




Exhibition



Whether you are an established company or just another startup company starting out...
 Whether you work at a 1000 sq ft corner office with
 a 100,000 sq ft warehouse in the back or basement of your home,
 you'll need a reliable partner in China.
 It's easier to work with us.
 Why? Coz we are 24/7. All time zones friendly.

HANGZHOU ZION COMMUNICATION CO.,LTD

Quality



Professional



Safety





TEL : +86 571 63804414
FAX : +86 571 63804424
Email: info@zion-communication.com
ADD : NO.68,HuaQiao ROAD, JinCheng Street,
LinAn,ZheJiang,China 311300